

	Hits	Search Text	DBs
1	10849	token.ab. and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1386	S1 and access.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1624	S1 and access\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	560	S3 and request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	292	S4 and limit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	331	S3 and request\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	13	S6 and limit\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	177223	S7 and charg\$5 or bill\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	177223	S7 and charg\$5 or bill\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	S7 and (charg\$5 or bill\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S10 and (expir\$5 with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	S10 and expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	S12 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	S13 and access\$5 and request\$5 and limit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	S6 and (limit\$4 with token with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	S15 and (charg\$5 or bill\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	S15 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	S17 and compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	S18 and (limit\$5 with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	11	S20 and valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	2	S21 and expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	2	S22 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	1	S23 and (charg\$5 or bill\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	1	S24 and shar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	S25 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	21	S1 and (limit\$5 with number with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1098 9	token.ab. and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	22	S27 and (limit\$5 with number with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	12	S28 and valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	3	S29 and expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	3	S30 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	S31 and (charg\$5 or bill\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	S32 and shar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	S33 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2	S34 and (limit\$5 with request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	S34 and (limit\$5 with request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	53	nonce.ab. and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	9	S37 and access\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	531	nonce and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	119	(nonce same access) and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	7	(nonce same access same once same request) and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	3	(nonce with accept\$5 with once) and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2719	(code with (once or (one adj time)) with only) and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	74	(code with (once or (one adj time)) with only with (authoriz\$6 or authentic\$6)) and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2595	(code with (once or (one adj time)) with only) and (@pd<"20011010" or @ad<"20011010" or @rlad<"20011010" or @rlpd<"20011010")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	70	(code with (once or (one adj time)) with only with (authoriz\$6 or authentic\$6)) and (@pd<"20011010" or @ad<"20011010" or @rlad<"20011010" or @rlpd<"20011010")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	11156	token.ab. and (@pd<"20020321" or @ad<"20020321" or @rlad<"20020321" or @rlpd<"20020321")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	22	S47 and (limit\$5 with number with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	12	S48 and valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	S49 and expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	3	S50 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	2	S51 and (charg\$5 or bill\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	S52 and shar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	2	S53 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	2	S54 and (limit\$6 near5 (number or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	919	S47 and (limit\$5 near5 (number or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	187	S47 and (limit\$5 near5 (number or time\$1) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	4	S47 and ((limit\$5 near5 (number or time\$1) near5 token) same (access\$6 near5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	24	S57 and (token\$5 near10 shar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB